

QUALITY FASTENING DRIVE TOOLS

FOR LIGHT INDUSTRIAL ASSEMBLY AND MRO

APEX[®]

Geta[®]



APEX[®]

Geta[®]

SCREWDRIVER BITS | BIT HOLDERS
NUTSETTERS | SOCKETS | EXTENSIONS

Price. Quality. Value.

For increasingly fast-paced applications such as construction, light industrial assembly, and general maintenance & repair, fastening tools need to be reliable, durable, and affordable.

For more than 80 years, Apex has maintained a position of global leadership in industrial fastening drive tools. With our commitment to enhance the productivity of our customers' operations around the world, the Apex Geta line of screwdriver bits, bit holders, nutsetters, and sockets are built for performance.

Geta fastening drive tools are quality tools for a complete range of light industrial applications. We engineer our products to be superior to other products in their class. Our tools are machined from high-grade alloy steel and then heat treated to provide a long-lasting, non-brittle toughness. This results in a durable tool that provides a good, consistent fit to the fastener and lasts longer.

Geta - durable, quality tools at affordable prices... a true value leader.



Torx[®]
1/4" hex insert

Part No.	Driver Size	Overall Length
A44T10	T-10	1 in 25 mm
A44T15	T-15	1 in 25 mm
A44T20	T-20	1 in 25 mm
A44T25	T-25	1 in 25 mm
A44T30	T-30	1 in 25 mm
A44T40	T-40	1 in 25 mm

*Torx is a registered trademark of the Camcar division of Acument



Torx
5/16" hex insert

Part No.	Driver Size	Overall Length
A48T40	T-40	1 1/4 in 32 mm
A48T45	T-45	1 1/4 in 32 mm



Torx
1/4" hex power drive

Part No.	Driver Size	Overall Length	Body Diameter
A9T27	T-27	1 15/16 in 49 mm	0.21 in 5.33 mm



Square Recess
1/4" hex insert

Part No.	Point Size	Overall Length
A44Q1	1	1 in 25 mm
A44Q2	2	1 in 25 mm
A44Q3	3	1 in 25 mm



Square Recess
1/4" hex power drive

Part No.	Point Size	Overall Length
A9Q1	1	2 in 51 mm
A9AQ1	1	2 3/4 in 70 mm
A9BQ1	1	3 1/2 in 89 mm
A9CQ1	1	6 in 152 mm
A9Q2	2	2 in 51 mm
A9AQ2	2	3 in 75 mm
A9BQ2	2	4 in 102 mm
A9CQ2	2	6 in 152 mm
A9Q3	3	1 15/16 in 49 mm
A9AQ3	3	2 3/4 in 70 mm
A9BQ3	3	3 1/2 in 89 mm
A9CQ3	3	6 in 152 mm

 **Magnetic Bit Holder**
1/4" hex power drive

Part No.	Overall Length
AM40S	2 in 51 mm
AM40	2 31/32 in 75 mm
AM40-4	4 in 102 mm
AM40-8	8 in 203 mm
AM40-10	10 in 254 mm
AM40-12	12 in 305 mm

 **Magnetic Nutsetter**
1/4" hex power drive

Part No.	Hex Opening	Overall Length	Diameter Nose End
ANA08	1/4 in	1 3/4 in 44 mm	7/16 in 11 mm
ANA08T*	1/4 in	1 3/4 in 44 mm	3/8 in 9.5 mm
ANA08-4	1/4 in	4 in 102 mm	7/16 in 11 mm
ANA08-6	1/4 in	6 in 152 mm	7/16 in 11 mm
ANA10	5/16 in	1 3/4 in 44 mm	1/2 in 13 mm
ANA10-4	5/16 in	4 in 102 mm	1/2 in 13 mm
ANA10-6	5/16 in	6 in 152 mm	1/2 in 13 mm
ANA12	3/8 in	1 13/16 in 46 mm	9/16 in 14 mm
ANA12-4	3/8 in	4 in 102 mm	9/16 in 14 mm
ANA12-6	3/8 in	6 in 152 mm	9/16 in 14 mm
ANA14	7/16 in	2 in 51 mm	11/16 in 18 mm
ANB08	1/4 in	2 9/16 in 65 mm	7/16 in 11 mm
ANB10	5/16 in	2 9/16 in 65 mm	1/2 in 13 mm
ANB12	3/8 in	2 9/16 in 65 mm	9/16 in 14 mm
ANB14	7/16 in	2 9/16 in 65 mm	11/16 in 18 mm

*ANA08T has a turned nose shape.

 **Magnetic Sockets**
1/4" square drive

Part No.	Hex Opening	Overall Length	Diameter Nose End	Diameter End Drive	Body Style
AGS108*	1/4 in	7/8 in 22 mm	3/8 in 10 mm	1/2 in 13 mm	Tapered
AGS110*	5/16 in	7/8 in 22 mm	1/2 in 13 mm	1/2 in 13 mm	Straight
AGS112	3/8 in	1 in 25 mm	5/8 in 16 mm	5/8 in 16 mm	Straight

*For sheet metal screws

 **Slotted**
1/4" hex insert

Part No.	Screw Size	Overall Length	Blade Thickness
A44S1	4F-5R	1 in 25 mm	0.033 in 0.84 mm
A44S2	6F-8R	1 in 25 mm	0.037 in 0.94 mm
A44S3	8F-10R	1 in 25 mm	0.040 in 1.02 mm

 **Slotted**
1/4" hex power drive

Part No.	Screw Size	Overall Length	Blade Thickness
A9AS1	4F-5R	1 15/16 in 49 mm	0.033 in 0.84 mm
A9AS3	6F-8R	1 15/16 in 49 mm	0.037 in 0.94 mm
A9AS5	10F-12R	1 15/16 in 49 mm	0.045 in 1.14 mm

 **Phillips**
1/4" hex insert

Part No.	Point Size	Overall Length
A441	1	1 in 25 mm
A44R1*	1	1 in 25 mm
A442	2	1 in 25 mm
A44R2*	2	1 in 25 mm
A443	3	1 in 25 mm

*Reduced nose for limited clearance

 **Phillips**
1/4" hex power drive

Part No.	Point Size	Overall Length	Body Diameter
A91	1	1 15/16 in 49 mm	3/16 in 5 mm
A9A1	1	2 3/4 in 70 mm	3/16 in 5 mm
A9B1	1	3 1/2 in 89 mm	3/16 in 5 mm
A92	2	1 15/16 in 49 mm	1/4 in 6 mm
A9A2	2	2 3/4 in 70 mm	1/4 in 6 mm
A9B2	2	3 1/2 in 89 mm	1/4 in 6 mm
A9C2	2	6 in 152 mm	1/4 in 6 mm
A93	3	1 15/16 in 49 mm	5/16 in 8 mm
A9A3	3	2 3/4 in 70 mm	5/16 in 8 mm
A9B3	3	3 1/2 in 89 mm	5/16 in 8 mm
A9C3	3	6 in 152 mm	5/16 in 8 mm

 **Torq-Set®**
1/4" hex insert

Part No.	Point Size	Overall Length
A44TS2	2	1 in 25 mm
A44TS4	4	1 in 25 mm
A44TS6	6	1 in 25 mm
A44TS8	8	1 in 25 mm
A44TS10	10	1 in 25 mm
A44TS-1/4	1/4	1 in 25 mm

*Torq-Set is a registered trademark of the Phillips Screw Co.

 **Torq-Set**
1/4" hex power drive

Part No.	Point Size	Overall Length
A9TS2	2	1 1/4 in 32 mm
A9TS4	4	1 1/4 in 32 mm
A9TS6	6	1 1/4 in 32 mm
A9TS8	8	1 1/4 in 32 mm
A9TS10	10	1 1/4 in 32 mm

 **Torq-Set**
5/16" hex power drive

Part No.	Point Size	Overall Length
A9TS-1-4A	1/4	1 1/4 in 32 mm

 **Extension**
1/4" hex power drive

Part No.	Square Size	Type of Lock	Overall Length
A12E	1/4 in	Pin	2 in 51 mm
A12E-4	1/4 in	Pin	4 in 102 mm
A12E-6	1/4 in	Pin	6 in 152 mm
A12E-R	1/4 in	Ball	2 in 51 mm

APEX[®]

Geta[®]


QUALITY AND RELIABILITY AT AFFORDABLE PRICES

The trusted name for light industrial and MRO applications.

Customers in construction, light industrial assembly, and MRO industries demand high quality and reliable products that meet or exceed their needs. They seek out durable tools that help them get the job done right... quickly and consistently.

Apex Geta understands that it is all about consistent performance at affordable prices. Hence our fastening drive tools are designed to perform better, last longer, and cost less than our competitor's tools.

Please contact Apex directly or contact your local Apex Sales Representative to find out how we can help you with your fastening drive tool needs.



North America

Apex Tool Group
670 Industrial Drive
Lexington, SC 29072
United States
Phone: +1 800 845 5629
Phone: +1 919 387 0099
Fax: +1 803 358 7681
www.apexpowertools.com
apexfastenerools@apextoolgroup.com

Apex Tool Group
Manufacturing México
S. de R.L. de C.V.
Vialidad El Pueblito #103
Parque Industrial Querétaro
Querétaro, QRO CP# 76220
Mexico
Tel: +52 (442) 211 3800
Fax: +52 (800) 685 5560

Europe | Middle East | Africa

Apex Tool Group
GmbH & Co.
Industriestraße 1
73463 Westhausen
Germany
Phone: +49 (0) 73 63 81 0
Fax: +49 (0) 73 63 81 222
www.apexpowertools.eu

Apex Tool Group S.A.S.
25 rue Maurice Chevalier
B.P. 28
77831 Ozoir-la-Ferrière
Cedex, France
Phone: +33 1 64 43 22 00
Fax: +33 1 64 43 17 17

Apex Tool Group
Hungária Kft.
Platánfa u.2
9027 Győr
Hungary
Phone: +36 96 66 1383
Fax: +36 96 66 1135

Asia Pacific

Apex Power Tool Trading
(Shanghai) Co., Ltd
Building A8, No. 38
Dongsheng Road
Pudong, Shanghai
China 201201
Phone: +86 21 60880320
Fax: +86 21 60880313
www.aptpowertools.com.cn

Apex Power Tools India
Private Limited
Gala No. 1, Plot No. 5
S. No. 234, 235 & 245
Indialand Global Industrial Park
Taluka-Mulsi, Phase I
Hinjawadi, Pune 411057
Maharashtra, India
Phone: +91 20 66761111

Latin America

Apex Tool Group
Ind. Com. Ferram. Ltda
Av. Liberdade, 4055
Zona Industrial Iporanga
Sorocaba, São Paulo
CEP# 18087-170
Brazil
Tel: +55 15 2383929
Fax: +55 15 2383260

